

Amendments To Claims:

This listing of claims will replace all prior versions and listings of claims in the application.

Listing of Claims:

1. (original) A drive apparatus for performing a sequential recording for a write-once recording medium, wherein

the write-once recording medium includes a data area and a disc management information area,

the data area includes a spare area and a user data area,

disc management information for managing the write-once recording medium is recorded in the disc management information area,

a plurality of physical addresses are assigned to the data area,

a plurality of logical addresses are assigned to the user data area,

at least one track is allocated in the user data area,

the disc management information includes track management information for managing the at least one track, and

the track management information includes a last recorded address indicating a location at which data is last recorded in a track,

the drive apparatus comprising:

a recording/reproduction section for performing a recording operation or a reproduction operation for the write-once recording medium; and

a drive control section for controlling the recording/reproduction section,

wherein the drive control section performs a process including:

reading the disc management information from the disc management information area;

determining a primary logical address-physical address mapping indicating a corresponding relationship between the plurality of logical addresses and the plurality of physical addresses based on the disc management information;

receiving a recording instruction including a logical address indicating location at which data is to be recorded;

translating the logical address included in the recording instruction into a physical address in accordance with the primary logical address-physical address mapping;

determining a track of the at least one track based on the physical address corresponding to the logical address included in the recording instruction and the track management information;

determining a physical address indicating a location at which data can be recorded next in the determined track as a next writable address, based on the last recorded address in the determined track;

comparing the physical address corresponding to the logical address included in the recording instruction with the next writable address;

when the physical address corresponding to the logical address included in the recording instruction is smaller than the next writable address, performing a process including:

controlling the recording/reproduction section to record the data at a specific location in the user data area, the specific location being a location other than the location indicated by the physical address corresponding to the logical address included in the recording instruction;

generating new disc management information including replacement management information for mapping the physical address corresponding to the logical address included in the recording instruction to the physical address indicating the specific location and the last recorded address updated by recording of the data; and

controlling the recording/reproduction section to record the new disc management information in the disc management information area;

when the physical address corresponding to the logical address included in the recording instruction is equal to the next writable address, performing a process including:

controlling the recording/reproduction section to record the data at location indicated by the physical address corresponding to the logical address included in the recording instruction;

generating new disc management information including the last recorded address updated by recording of the data; and

controlling the recording/reproduction section to record the new disc management information in the disc management information area.

2. (original) A drive apparatus according to claim 1, wherein:

the write-once recording medium includes a plurality of ECC clusters,
each of the plurality of ECC clusters includes a plurality of sectors,

the plurality of physical addresses are assigned to the plurality of sectors, and
the next writable address is an physical address of a first sector included in an ECC
cluster next to an ECC cluster including the last recorded address.

3. (original) A drive apparatus according to claim 1, wherein:
the determined track is an open track, and
the specific location in the user data area is determined as a location indicated by a next
writable address in the determined track.

4. (original) A drive apparatus according to claim 1, wherein:
the determined track is an open track,
the specific location in the user data area is determined as a location indicated by a next
writable address in an open track which is different from the determined track,
the next writable address in the open track indicates a location which is closest to the
location indicated by the physical address corresponding to the logical address included in the
recording instruction.

5. (original) A drive apparatus for reproducing data recorded in a write-once
recording medium, wherein
the write-once recording medium includes a data area and a disc management
information area,
the data area includes a spare area and a user data area,
disc management information for managing the write-once recording medium is recorded
in the disc management information area,
a plurality of physical addresses are assigned to the data area,
a plurality of logical addresses are assigned to the user data area,
the disc management information includes a replacement management information list
including a plurality of replacement management information,
each of the plurality of replacement management information maps a physical address
indicating a location of the user data area to a separate physical address,
the drive apparatus comprising:

a recording/reproduction section for performing a recording operation or a reproduction operation for the write-once recording medium; and

a drive control section for controlling the recording/reproduction section,
wherein the drive control section performs a process including:
reading the disc management information from the disc management information area;
determining a primary logical address-physical address mapping indicating a
corresponding relationship between the plurality of logical addresses and the plurality of physical
addresses based on the disc management information;
receiving a reproduction instruction including a logical address indicating location at
which data is to be reproduced;
translating the logical address included in the reproduction instruction into a physical
address in accordance with the primary logical address-physical address mapping;
determining whether or not the physical address corresponding to the logical address
included in the reproduction instruction is not mapped as an original location of a separate
physical sector and it is mapped as a replacement location of a separate physical sector;
when it is determined that the physical address corresponding to the logical address
included in the reproduction instruction is not mapped as an original location of a separate
physical sector and it is mapped as a replacement location of a separate physical sector,
outputting a predetermined data without reproducing data from the physical address
corresponding to the logical address included in the reproduction instruction.

6. (original) A drive apparatus according to claim 5, wherein:
the predetermined data is data reproduced from the physical address corresponding to the
logical address included in the reproduction instruction.

7. (New) A write-once recording medium for performing a sequential recording,
wherein
the write-once recording medium includes a data area and a disc management
information area,
the data area includes a spare area and a user data area,

disc management information for managing the write-once recording medium is recorded in the disc management information area,

a plurality of physical addresses are assigned to the data area,

a plurality of logical addresses are assigned to the user data area,

at least one track is allocated in the user data area,

the disc management information includes track management information for managing the at least one track, and

the track management information includes a last recorded address indicating a location at which data is last recorded in a track,

the write-once recording medium performs the following processes:

reading the disc management information from the disc management information area;

determining a primary logical address-physical address mapping indicating a corresponding relationship between the plurality of logical addresses and the plurality of physical addresses based on the disc management information;

receiving a recording instruction including a logical address indicating location at which data is to be recorded;

translating the logical address included in the recording instruction into a physical address in accordance with the primary logical address-physical address mapping;

determining a track of the at least one track based on the physical address corresponding to the logical address included in the recording instruction and the track management information;

determining a physical address indicating a location at which data can be recorded next in the determined track as a next writable address, based on the last recorded address in the determined track;

comparing the physical address corresponding to the logical address included in the recording instruction with the next writable address;

when the physical address corresponding to the logical address included in the recording instruction is smaller than the next writable address, performing a process including:

recording the data at a specific location in the user data area, the specific location being a location other than the location indicated by the physical address corresponding to the logical address included in the recording instruction;

generating new disc management information including replacement management information for mapping the physical address corresponding to the logical address included in the recording instruction to the physical address indicating the specific location and the last recorded address updated by recording of the data; and

recording the new disc management information in the disc management information area;

when the physical address corresponding to the logical address included in the recording instruction is equal to the next writable address, performing a process including:

recording the data at location indicated by the physical address corresponding to the logical address included in the recording instruction;

generating new disc management information including the last recorded address updated by recording of the data; and

recording the new disc management information in the disc management information area.

8. (New) A method for reproducing the write-once recording medium according to claim 7, comprising at least one of:

a step of reproducing the disc management information from the disc management information area; and

a step of reproducing a user data from the spare area or the user data area based on the replacement management information.